

Learning Activity 5:
Role of antimicrobial stewardship and future developments in CDI

1. Cohen SH, Gerding DN, Johnson S, et al. Clinical practice guidelines for *Clostridium difficile* infection in adults: 2010 update by the Society for Healthcare Epidemiology of America (SHEA) and the Infectious Diseases Society of America (IDSA). *Infect Control Hosp Epidemiol.* 2010;31:431-455.
(<http://www.ncbi.nlm.nih.gov/pubmed/20307191>)
2. Dellit TH, Owens RC, McGowan JE Jr, et al. Infectious Diseases Society of America and the Society for Healthcare Epidemiology of America guidelines for developing an institutional program to enhance antimicrobial stewardship. *Clin Infect Dis.* 2007;44:159-177. (<http://www.ncbi.nlm.nih.gov/pubmed/17173212>)
3. Levy-Hara G, Amabile-Cuevas CF, Gould I, et al. "Ten commandments" for the appropriate use of antibiotics by the practicing physician in an outpatient setting. *Front Microbiol.* 2011;2:230.
(<http://www.ncbi.nlm.nih.gov/pubmed/22164154>)
4. Jardin CG, Palmer HR, Shah DN, et al. Assessment of treatment patterns and patient outcomes before vs after implementation of a severity-based *Clostridium difficile* infection treatment policy. *J Hosp Infect.* 2013;[Epub ahead of print] (<http://www.ncbi.nlm.nih.gov/pubmed/23834988>)
5. Surawicz CM, Brandt LJ, Binion DG, et al. Guidelines for diagnosis, treatment, and prevention of *Clostridium difficile* infections. *Am J Gastroenterol.* 2013;108:478-498. (<http://gi.org/guideline/diagnosis-and-management-of-c-difficile-associated-diarrhea-and-colitis/>)
6. Pear SM, Williamson TH, Bettin KM, Gerdin DN, Galgiani JN. Decrease in nosocomial *Clostridium difficile*-associated diarrhea by restricting clindamycin use. *Ann Intern Med.* 1994;120:272-7.
(<http://www.ncbi.nlm.nih.gov/pubmed/8080497>)
7. Climo MW, Israel DS, Wong ES, Williams D, Coudron P, Markowitz SM. Hospital-wide restriction of clindamycin: effect on the incidence of *Clostridium difficile*-associated diarrhea and cost. *Ann Intern Med.* 1998;128:989-95.
(<http://www.ncbi.nlm.nih.gov/pubmed/9625685>)
8. Carling P, Fung T, Killion A, Terrin N, Barza M. Favorable impact of a multidisciplinary antibiotic management program conducted during 7 years. *Infect Control Hosp Epidemiol.* 2003;24:699-706.
(<http://www.ncbi.nlm.nih.gov/pubmed/14510254>)
9. Aldeyab MA, Kearney MP, Scott MG, et al. An evaluation of the impact of antibiotic stewardship on reducing the use of high-risk antibiotics and its effect on the incidence of *Clostridium difficile* infection in hospital settings. *J Antimicrob Chemother.* 2012;67:2988-96. (<http://www.ncbi.nlm.nih.gov/pubmed/22899806>)
10. Dancer SJ, Kirkpatrick P, Corcoran DS, Christison F, Farmer D, Robertson C. Approaching zero: temporal effects of a restrictive antibiotic policy on hospital-acquired *Clostridium difficile*, extended-spectrum beta-lactamase-producing coliforms and meticillin-resistant *Staphylococcus aureus*. *Int J Antimicrob Agents.* 2013;41:137-42.
(<http://www.ncbi.nlm.nih.gov/pubmed/23276500>)
11. Harpe SE, Inocencio TJ, Pakyz AL, Oinonen MJ, Polk RE. Characterization of continued antibacterial therapy after diagnosis of hospital-onset *Clostridium difficile* infection: implications for antimicrobial stewardship. *Pharmacotherapy.* 2012;32:744-54. (<http://www.ncbi.nlm.nih.gov/pubmed/23307522>)
12. Desai A, Shah DN, Alimi OD, Garey KW. *Impact of concomitant antibiotics on Clostridium difficile infection recurrence rates.* ASHP 46th Midyear Clinical Meeting, New Orleans, LA. December 4-8, 2011.
13. Shaughnessy MK, Amundson WH, Kuskowski MA, DeCarolis DD, Johnson JR, Drekonja DM. Unnecessary antimicrobial use in patients with current or recent *Clostridium difficile* infection. *Infect Control Hosp Epidemiol.* 2013;34:109-16. (<http://www.ncbi.nlm.nih.gov/pubmed/23295554>)
14. Hicks LA, Taylor TH, Jr., Hunkler RJ. U.S. outpatient antibiotic prescribing, 2010. *N Engl J Med.* 2013;368:1461-2.
(<http://www.ncbi.nlm.nih.gov/pubmed/23574140>)

15. Gerber JS, Prasad PA, Fiks AG, et al. Effect of an outpatient antimicrobial stewardship intervention on broad-spectrum antibiotic prescribing by primary care pediatricians: a randomized trial. *JAMA*. 2013;309:2345-52. (<http://www.ncbi.nlm.nih.gov/pubmed/23757082>)
16. Kelly CP. Can we identify patients at high risk of recurrent *Clostridium difficile* infection? *Clin Microbiol Infect*. 2012;18(Suppl 6):21-27. (<http://www.ncbi.nlm.nih.gov/pubmed/23121551>)
17. Graber CJ, Madaras-Kelly K, Jones MM, Neuhauser MM, Goetz MB. Unnecessary antimicrobial use in the context of *Clostridium difficile* infection: a call to arms for the Veterans Affairs Antimicrobial Stewardship Task Force. *Infect Control Hosp Epidemiol*. 2013;34:651-3. (<http://www.ncbi.nlm.nih.gov/pubmed/23651905>)