

Suggested Reading

From Pre-Emptive to Salvage Antifungal Therapy: Achieving Successful Outcomes PODCAST

Release Date: June 11, 2009 Expiration Date: June 25, 2010 Center Serial #: CV3103-2

1. Cordonnier C, Pautas C, Maury S, et al. Empirical versus preemptive antifungal therapy for high-risk, febrile, neutropenic patients: a randomized, controlled trial. *Clin Infect Dis*. 2009;48(8):1042-1051.
2. Dodds Ashley ES. Treatment options for invasive fungal infections. *Pharmacotherapy*. 2006;26(6 Pt 2):55S-60S.
3. Garey KW, Rege M, Pai MP, et al. Time to initiation of fluconazole therapy impacts mortality in patients with candidemia: a multi-institutional study. *Clin Infect Dis*. 2006;43(1):25-31.
4. Maertens J, Theunissen K, Verhoef G, et al. Galactomannan and computed tomography-based preemptive antifungal therapy in neutropenic patients at high risk for invasive fungal infection: a prospective feasibility study. *Clin Infect Dis*. 2005;41(9):1242-1250.
5. Nucci M, Perfect JR. When primary antifungal therapy fails. *Clin Infect Dis*. 2008;46(9):1426-1433.
6. Pascual A, Calandra T, Bolay S, Buclin T, Bille J, Marchetti O. Voriconazole therapeutic drug monitoring in patients with invasive mycoses improves efficacy and safety outcomes. *Clin Infect Dis*. 2008;46(2):201-211.
7. Walsh TJ, Pappas P, Winston DJ, et al. Voriconazole compared with liposomal amphotericin B for empirical antifungal therapy in patients with neutropenia and persistent fever. *N Engl J Med*. 2002;346(4):225-234.